

MATERIAL SAFETY DATA SHEET

PRODUCT NAME: Roberts 1407 High Performance Acrylic Urethane Wood Flooring Adhesive W.H.M.I.S. CLASSIFICATION: NON-CONTROLLED
 Roberts MSDS Code #: 1407C

PRODUCT USES: A blended synthetic polymer dispersion adhesive used for installing parquet, bamboo, laminated wood plank and unfinished solid wood flooring V.O.C. CONTENT: So low as to be indeterminate.

SECTION I - MANUFACTURER IDENTIFICATION

MANUFACTURER'S NAME: ROBERTS COMPANY CANADA LTD.

ADDRESS: 2070 Steeles Ave. Bramalea, Ontario L6T 1A7

24 HOUR (CANUTEC) PHONE: (613) 996-6666

DATE REVISED: December 01/06

NAME OF PREPARER: Technical Dept.

INFORMATION PHONE: (905) 791-4444

SOURCES USED: Raw material supplier M.S.D.S.

SECTION II - HAZARDOUS INGREDIENTS INFORMATION

COMPONENT	APPROX. %	UN#	CAS#	LD50	LC50
NO REPORTABLE INGREDIENTS					

SECTION III - PHYSICAL DATA

BOILING POINT: 100° C FREEZING POINT: N/A

VAPOUR DENSITY (AIR=1): Heavier than air

VAPOUR PRESSURE (MM OF MERCURY): As for water.

SOLUBILITY IN WATER: Miscible

APPEARANCE AND ODOUR: Beige, heavy paste, very mild odour of resin and amonia.

SPECIFIC GRAVITY (H2O=1): 1.3 pH: 8.5 - 8.8

EVAPORATION RATE (BUTYL ACETATE=1): Slower

EVAPORATION RATE (ETHYL ACETATE=1): Slower

PERCENT VOLATILE: 15 - 20

ODOUR THRESHOLD (PPM): Not available

SECTION IV - FIRE AND EXPLOSION DATA

FLASHPOINT (specify method): None

METHOD USED:

IMPACT SENSITIVITY: Insensitive

FLAMMABLE LIMITS (% BY VOLUME):

LOWER: N/A UPPER: N/A

SENSITIVITY TO STATIC DISCHARGE: Insensitive

FIRE EXTINGUISHING MEDIA: Foam, CO2, Dry Chemical

AUTO IGNITION TEMP: N/A

TDG FLAMMABILITY CLASSIFICATION: Not regulated.

SPECIAL FIRE-FIGHTING PROCEDURES: Self-contained breathing apparatus should be worn for fires involving this product.

UNUSUAL FIRE AND EXPLOSION HAZARDS: None

SECTION V - REACTIVITY DATA

STABILITY: Stable

CONDITIONS TO AVOID: Excessive Heat

INCOMPATIBILITY (Materials to avoid): Strong oxidizers.

HAZARDOUS DECOMPOSITION PRODUCTS: Combustion products.

HAZARDOUS POLYMERIZATION: Will not occur

CONDITIONS TO AVOID: None

SECTION VI - TOXICOLOGICAL PROPERTIES

ENTRY ROUTE TABLE

SKIN CONTACT	SKIN ABSORPTION	EYE CONTACT	INHALATION ACUTE	INHALATION CHRONIC	INGESTION

EFFECTS OF ACUTE EXPOSURE TO MATERIAL: None

EFFECTS OF CHRONIC EXPOSURE TO MATERIAL: None

LD50 (SPECIFY SPECIES & ROUTE): Not available	LC50 (SPECIFY SPECIES): Not available	EXPOSURE LIMIT: Not available	IRRITANCY: None
SENSITIZING CAPACITY: None	CARCINOGENICITY: None	REPRODUCTIVITY EFFECTS: None	SYNERGISTIC MATERIALS: None known

SECTION VII - PREVENTATIVE MEASURES

RESPIRATORY PROTECTION (SPECIFY TYPE): None

VENTILATION: None should be required.

PROTECTIVE GLOVES: None

EYE PROTECTION: Goggles

OTHER PROTECTIVE EQUIPMENT: None required.

SPILL PROCEDURES: Mechanically collect. Wash area with water. Prevent from entering sewers or waterways. Spilled material may cause slippery conditions. Promptly report significant spills to appropriate authorities. Consult local regulations.

WASTE DISPOSAL METHOD: Destroy by incineration at an approved facility. Dried material only may be landfilled. Consult local regulations.

STORAGE & HANDLING PRECAUTIONS: Keep containers from excessive heat and freezing. Keep out of reach of children.

OTHER PRECAUTIONS: None.

SECTION VIII - FIRST AID MEASURES

EYES: Flush with water for 20 minutes, holding eyelids open. Seek medical attention.

SKIN: Wash with soap and water. Seek medical attention if irritation develops.

INGESTION: Do not induce vomiting. If victim is conscious, give milk or water. Contact physician immediately.